

**&  
MEZZO**

**DIRECT VENT GAS FIREPLACE**

**FIREPLACE  
CORNER**



**HEAT & GLO™**



**We have spared nothing to give you everything.**

**Your style, is yours.**

It's modern design, redefined.  
No gaps. Clean finish. The Mezzo allows you to create a fire that is uniquely yours.



# MEZZO



- Distinctive modern design with minimalist Clean Face surround
- Crushed glass media with either log or pebble option
- Direct Vent Technology which removes 100% of combustion exhaust and odour - maintaining clean, safe indoor quality
- Clean LED Lighting technology for a high contrast, brilliant lighting effect to accentuate the flames

## Heat & Glo MEZZO Series



### MEZZO 1000

with Black Trim & Amber  
Crushed Glass



### MEZZO 1600

with Black Trim, Black  
Crushed Glass & Logs

## Media Options



**You have never experienced modern design like this, Clean. Discreet. Luxurious.**



## BALANCED FLUE GAS FIREPLACE

The Heat & Glo balanced flue gas fireplace is a completely sealed system, drawing 100% of combustion air from the outdoors and exhausting all combustion by products back outside, whilst maintaining optimum indoor air quality. In addition, cold air drafts are eliminated and heat output is maximised. With the option of venting vertical or horizontal, even greater placement flexibility is possible, and the variable valve allows you to adjust the flame height and heat output.

### INTELLIFIRE PLUS IGNITION SYSTEM AND WIRELESS CONTROLS

The Intellifire Plus Ignition System is an "intelligent" control system providing energy conservation and the comfort of a roaring fire, all at your fingertips! Intellifire Plus features intermittent pilot ignitions (IPI) allowing you to conserve fuel and money when the fireplace is not in use. In addition, the system offers seamless transition from AC to battery backup in a power outage, as well as built-in safety features and memory settings. Lastly, our new Intellifire Plus remote control provides stylish and fully features benefits that make controlling your heat easier than ever.


**IntelliFire™  
Plus**

### INTELLIFIRE PLUS RC300

Incorporates an LCD screen, intuitive menus and large control buttons in a sleek and modern design. This wireless control gives you the flexibility to use as a remote only or mount on the wall anywhere in the room.

#### MODEL: RC300-HNG


Features: Pilot Activation, ON/OFF, Flame Height, Fan Speed, Room Temperature, Readout, Thermostat Mode & Wall Docking Station.



## MEZZO - 1300-ST Specifications


MODEL	WIDTH	HEIGHT	DEPTH	VIEWING AREA	MJ/H NG	MJ/H LPG	KW/H NG/LPG
MEZZO - 1300-ST	1575	1080	460	1207 x 318	43.6	39.6	12.12/11.03

### Unit Dimensions



NOTE: Capped off copper gas pipe to be provided on LHS

### Framing Dimensions



#### PLEASE NOTE

Unit **Must** be installed prior to drywall.

Frame opening is greater than drywall opening.

MODEL	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U
MEZZO - 1300 - ST	1575	1299	397	1080	102	217	1575	217	13	1524	432	203	460	1060	60	217	622	184	225	70	603

Dimensions shown above are in millimetres. Reference dimensions only. We recommend measuring individual units at installation. Assume the use of 10mm plaster.


NOTE: Combustible materials should not be installed over the face. Make sure you do NOT cover the decorative door opening.

Refer to installation manual for detailed specifications on installing this product. Heat & Glo reserve the right to update units periodically. The flame and ember appearance may vary based on the type of fuel burned and the venting configuration used. Pictures in this brochure are not the true representation of the fireplace and/or flames.


## MEZZO Series Specifications

MODEL	WIDTH	HEIGHT	DEPTH	VIEWING AREA	MJ/H NG MAX	MJ/H LPG MAX	KW/H NG/LPG
MEZZO - 1000	1270	1080	471	902 x 318	32.5	32	9.03/8.9
MEZZO - 1300	1575	1080	471	1207 x 318	43.6	39.6	12.12/11.03
MEZZO - 1600	1880	1232	471	1603 x 318	52.1	44.6	14.5/12.4

### Unit Dimensions



### Framing Dimensions



#### PLEASE NOTE

Unit **Must** be installed prior to drywall.

Frame opening is greater than drywall opening.

Frame works shown as an example only see installation manual for individual unit size requirements

MODEL	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U
MEZZO - 1000	1270	997	397	1080	102	217	1575	217	25	1224	435	203	471	1060	60	217	622	184	225	70	603
MEZZO - 1300	1575	1299	397	1080	102	217	1575	217	25	1524	435	203	471	1060	60	217	622	184	225	70	603
MEZZO - 1600	1880	1603	397	1232	102	217	1575	217	25	1829	435	203	471	1213	60	217	622	184	225	70	603

Dimensions shown above are in millimetres. Reference dimensions only. We recommend measuring individual units at installation. Assume the use of 10mm plaster.

NOTE: Combustible materials should not be installed over the face. Make sure you do NOT cover the decorative door opening.

Refer to installation manual for detailed specifications on installing this product. Heat & Glo reserve the right to update units periodically. The flame and ember appearance may vary based on the type of fuel burned and the venting configuration used. Pictures in this brochure are not the true representation of the fireplace and/or flames.

# HEAT & GLO™

APPROVAL No: GMK10222

AGA: AS4553

Showroom Opening Hours


Mon - Fri 9am - 5pm, Sat 9am - 1pm

277 Lord Street, Perth, 6000 / 08 9228 2600

[sales@fireplacecorner.com.au](mailto:sales@fireplacecorner.com.au)

[www.fireplacecorner.com.au](http://www.fireplacecorner.com.au)

# FIREPLACE CORNER



**Disclaimer:** All products are subject to availability and may be changed without notice.